Merchant & Gould

An Intellectual Property Law Firm

3200 IDS Center 80 South Eighth Street Minneapolis, Minnesota 55402-2215 USA 10.612,332,5300 TAX 612.332.9081 www.merchant+ gould.com

A Professional Corporation

Fax Transmission | July 19, 2004

TQ:

07-19-04

Commissioner for Patents

FROM:

Katherine M. Kowalchyk

Attn: Office of Initial Patent Examination

OUR REF:

11669.118USD1

P.O. Box 1450

Alexandria, VA 22313-1450

TELEPHONE:

612.371.5311

Total pages, including cover letter:

PTO FAX NUMBER 1-703.872.9306

If you do NOT receive all of the pages, please telephone us at 612.371.5204 or fax us at 612.332.9081.

Title of Document Transmitted:

INFORMATION DISCLOSURE STATEMENT AND FORM 1449

Applicant:

Serial No.:

COCHRAN ET AL.

10/823,006

Filed:

APRIL 12, 2004

Group Art Unit: 1639

Our Ref. No.:

11669.118USD1

Confirmation No. UNKNOWN

Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By: Katherine M. Kowalchyk

Reg. No.: 36,848

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Sheryl A. Boerboom

GEN033.DQT

RECEIVED

07-19-04 12:49PM FROM-Merchant & Gould CENTRAL FAX CENTER 6123329081

T-741 P.002/012 F-099

JUL 1 9 2004 OFFICIAL

S/N 10/823,006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

COCHRAN ET AL.

Examiner:

UNKNOWN

Serial No.:

10/823,006

Group Art Unit:

1639

Filed:

APRIL 12, 2004

Docket No.:

11669.118USD1

Confirmation No.:

UNKNOWN

Customer No.:

23552

Title:

HAIRPIN PEPTIDES WITH A NOVEL STRUCTURAL MOTIF AND

METHODS RELATING THERETO

CERTIFICATE LINDER 37 CFR 1.8(b):

I hereby certify that this paper is being transmitted by facsimile to the U.S. PateAt and Trademark Office on July 19, 2004

INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted within three months of the filing date of the above-identified application, which is not an application under 37 C.F.R. § 1.53(d). Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(d), a copy of each document or other information listed on the enclosed Form 1449 is not provided because it was previously cited by or submitted to the U.S. Patent and Trademark Office in parent application, U.S. Serial No. 09/836,770 filed on April 17, 2001.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a

reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

Respectfully submitted,

MERCHANT & GOULD P.C. P.O. Box 2903 Minneapolis, Minnesota 55402-0903 (612) 332-5300

Date: Suly 1

Katherine M. Kowalchyk

Reg. No. 36,848

KMK:sab

23552

6123329081

T-741 P 004/012 F-099

Sheet 1 of 9

Date Mailed: July 19, 2004

| FORM 1449* | | Docket Number: | Application Number: |
|----------------------------|----------------------------------|----------------|---------------------|
| Information disclosure sta | INFORMATION DISCLOSURE STATEMENT | 11669.118USD1 | 10/823,006 |
| | | | |

IN AN APPLICATION

(Use several sheets if necessary)

Applicant: COCHRAN ET AL.

Filing Date: APRIL 12, 2004 Group Art Unit: 1639

Customer No.: 23552

| | | U | .s. patent documen | NTS | | | |
|---------------------|--------------|------------|---------------------|-------|-----------|--------|-----------------|
| EXAMINER INITIAL | DOCUMENT NO. | DATE | NAME | CLASS | SUBCI ASS | | DATE OPRIATE |
| | 4,833,092 | 05/23/1989 | Geysen | | | | |
| | 5,223,409 | 06/29/1993 | Ladner et al. | | | | |
| | 5,534,615 | 07/09/1996 | Baker et al. | | | | |
| | 5,627,024 | 05/06/1997 | Maruyama et al. | | | | |
| | 5,766,905 | 06/16/1998 | Studier et al. | | | | |
| | 5,821,047 | 10/13/1998 | Garrard et al. | | | | |
| - | 5,824,483 | 10/20/1998 | Houston, Jr. et al. | | | | |
| | 5,830,851 | 11/03/1998 | Wrighton et al. | | | | |
| | 5,866,341 | 02/02/1999 | Spinclla et al. | | | | |
| | 5,885,780 | 03/23/1999 | Olivera et al. | | | | |
| | 6,013,458 | 01/11/2000 | Kahn et al. | | | | |
| | 6,180,343 | 01/30/2001 | Anderson et al. | | | | |
| | 6,475,806 | 11/05/2002 | Benjamin et al. | | | | |
| | 6,482,591 | 11/19/2002 | Lockhart et al. | | | | |
| | | FOR | EIGN PATENT DOCUN | /ENTS | | | |
| | DOCUMENT NO. | DATĒ | COUNTRY | CLASS | SUBCLASS | TRAN\$ | LATION |
| | | | | į | | YES | NO |
| | WO 92/00091 | 01/09/1992 | PCT | | | | |
| <u> </u> | WO 94/03494 | 02/17/1994 | PCT | | | | |
| | WO 95/01800 | 01/19/1995 | PCT | | | | |
| | WO 95/34683 | 12/21/1995 | PCT | | | | |
| | WO 97/29185 | 08/14/1997 | PCT | | | | |
| | WO 98/49168 | 11/05/1998 | PCT | | | | |
| | WO 99/51625 | 10/14/1999 | PCT | | | | |
| | WO 00/20574 | 04/13/2000 | PCT | | | | |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
| | |

Sheet 2 of 9

| FORM 1449* | FORM 1449* INFORMATION DISCLOSURE STATEMENT | | Application Number: 10/823,006 | |
|-------------------|---|-----------------------------|-----------------------------------|--|
| IN AN APPLICATION | | Applicant: COCHRAN ET AL. | | |
| | (Use several sheets if necessary) | Filing Date: APRIL 12, 2004 | Chroup Art Unit: 1639 | |
| | (************************************** | Customer No.: 23552 | | |

| | WO 00/77194 | 12/21/2000 | PCT | | <u> </u> | | |
|----------|--|---|--|-----------------------------------|--|-----------------------------------|-------------------|
| | | | (Including Author, Title, l | | | | |
| | Bi and B (1992) | Alexander et al., "Thermodynamic Analysis of the Folding of the Streptococcal Protein G IgG-Binding Domains B1 and B2: Why Small Proteins Tend to have High Denaturation Temperatures", Biochemistry, 31:3597-3603 (1992) | | | | | |
| | TIBS, 20 | Allen et al., "Finding prospective partners in the library: the two-hybrid system and phage display find a match TIBS, 20:511-516 (1995) | | | | | |
| | | Ball et al., "Conformational Constraints: Nonpeptide 6-Turn Mimics," <u>Journal of Molecular Recognition</u> , 3(2):55-64 (1990). | | | | | |
| | Barbas, " | Recent advances | in phage display", Current | Opinion in Bio | technology, 4:526 | -530 (1993) | |
| | Barthe et Protein S | al., Synthesis an cience, 133:942- | d NMR solution structure of 955 (2000) (abstract only) | fan o-helical h | airpin stapled with | two disulfide | bridges", |
| | Bass et a Proteins: | l., "Hormone Pha Structure, Funct | age: An Enrichment Metho ion, and Genetics, 8(4):309 | d for Variant P -314 (1990) | roteins with Altere | d Binding Pro | perties", |
| - | Becktel a | and Schollman, " | Protein Stability Curves", E | liopolymers, 26 | :1859-1877 (1987) |) | |
| | Biachi e (1995) | Biachi et al., "A Conformationally Homogeneous Combinatorial Peptide Library", <u>I. Mol. Biol.</u> , 247:154-160 | | | | | |
| | Bianchi insoluble | Bianchi et al., "High level expression and rational mutagenesis of a designed protein, the minibody. From an insoluble to a soluble molecule," Journal of Molecular Biology, 236(2):649-659 (February 18, 1994). | | | rom an | | |
| | Blanco o Biology | Blanco et al., "A short linear peptide that folds into a native stable B-hairpin in aqueous solution", Structural Biology, 1(9):584-590 (September 1994) | | | ructural | | |
| <u> </u> | Blanco, F. ct al., "NMR Evidence of a Short Linear Peptide That Folds into a β-Hairpin in Aqueous Solution Am. Chem. Soc., 115(13):5887-5888 (1993). | | | Solution," <u>J.</u> | | | |
| | Bradbur | y and Cattaneo, " | The use of phage display is | neurobiology | , Trends in Neuros | <u>science</u> , 18:24 | 3-249 (1995 |
| | Choo an Biotech | d Klug, "Designi nology, 6:431-43 | ing DNA-binding proteins (6 (1995) | on the surface of | f filamentous phag | e", <u>Current Or</u> | oinion in |
| | Chothia | "Coiling of B-P | leated Sheets", J. Mol. Biol | . 163:107-117 | (1983) | | |
| | Chou, P | et al., "Empirica | al Predictions Of Protein Co | onformation," A | nn. Rev. Biochem., | , 47:251-276 (1 | 1978). |
| | coli cell | ann et al., "The c surface display o ber 1999). | ystine knot of a squash-typ of conformationally constra | protease inhib incd peptides," | itor as a structural Protein Engineerin | scaffold for Ea g, 12(9):797-8 | scherichia 806 |
| | Clackso (1994) | n and Wells, "In | vitro selection from protein | and peptide lib | rairies", <u>Trends Bi</u> | iotechnol., 12: | 173-184 |
| | Clackso | n et al., "Making | antibody fragments using p | hage display li | braries", <u>Naturc</u> , 3: | 52:624-628 (1 | 991) |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

^{*}Substitute Disclosure Statement Form (PTO-1449)

Shoot 3 of 9

| FORM 1449* | INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.118USD1 | Application Number: 10/823,006 | |
|-----------------------------------|----------------------------------|---------------------------------|-----------------------------------|--|
| | IN AN APPLICATION | Applicant: COCHRAN ET AL. | | |
| (Use several sheets if necessary) | | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 | |
| 1 | | Customer No.: 23552 | | |

| Cochran et al., "A Minimal Peptide Scaffold for B-Turn Display: Optimizing a Strand Position in Disulfide-Cyclized B-Hairpins", J. Am. Chem. Soc., 123:625-632 (2001) |
|---|
| Cochran, A., "Antagonists of protein-protein interactions", Chemistry and Biology, 7(4):R85-R94 (April 2000) |
| Constantine, K. et al., "Structural and Dynamic Properties of a β-Hairpin-Forming Linear Peptide. 1. Modeling Using Ensemble-Averaged Constraints," J. Am. Chem. Soc., 117(44):10841-10854 (1995). |
| Cortese et al., "Identification of biologically active peptides using random libraries displayed on phage", Current Opinion in Biotechnology, 6:73-80 (1995) |
| Cortese et al., "Selection of biologically active peptides by phage display of random peptide libraries", <u>Current Opinion in Biotechnology</u> , 7:616-621 (1996) |
| Cunningham and Wells, "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis", Science, 244:1081-1085 (1989) |
| Cwirla et al., "Peptide agonist of the thrombopoletin receptor as potent as the natural cytokine", Science, 276(5319):1696-1699 (June 13, 1997) |
| Cwirla et al., "Peptides on phage: a vast library of peptides for identifying ligands", Proc. Natl. Acad. Sci. USA, 87(16):6378-6382 (1990) |
| de Alba, E. et al., "Conformational investigation of designed short linear peptides able to fold into β -hairpin structures in aqueous solution," Folding & Design, 1(2):133-144 (February 26, 1996). |
| de Alba, E. et al., "Cross-strand side-chain interactions versus turn conformation in β-hairpins," <u>Protein Science</u> , 6:2548-2560 (1997). |
| de Alba, E. et al., "Interactions responsible for the pH dependence of the β-hairpin conformational population formed by a designed linear peptide," <u>Eur. J. Biochem.</u> , 233:283-292 (1995). |
| de Alba, E. et al., "Turn Residue Sequence Determines β-Hairpin Conformation in Designed Peptides," J. Am. Chem. Soc., 119(1):175-183 (1997). |
| Domingo et al., "Synthesis of a mixture of cyclic peptides based on the Bowman-Birk reactive site loop to screen for serine inhibitors", <u>International Journal of Protein and Peptide Research</u> , 46:79-87 (1995) |
| Dunn, I.S., "Phage display of proteins", Current Opinion in Biotechnology, 7:547-553 (1996) |
| Efimov et al., "Bacteriophage T4 as a Surface Display Vector", Virus Genes, 10(2):173-177 (1995) |
| Espinosa and Gellman, "A Designed B-Hairpin Containing a Natural Hydrophobic Cluster", Agnew. Chem. Int. Ed., 39(13):2330-2333 (2000) |
| Fairbrother et al., "Novel Peptides Selected to Bind Vascular Endothelial Growth Factor Target the Receptor-Binding State", <u>Biochemistry</u> , 37:17754-17764 (1998) |
| Falcomer et al., "Chain Reversals in Model Peptides: Studies of Cystine-Containing Cyclic Peptides. 3. Conformational Free Energies of Cyclization of Tetrapeptides of Sequence Ac-Cys-Pro-X-Cys-NHMc", <u>J. Am. Chem. Soc.</u> , 114:4036-4042 (1992) |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
| | <u> </u> |

^{*}Substitute Disclosure Statement Form (PTO-1449)

Sheet 4 of 9

| FORM 1449* | INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.118USD1 | Application Number: 10/823,006 | |
|---|----------------------------------|---------------------------------|-----------------------------------|--|
| IN AN APPLICATION (Use several sheets if necessary) | | Applicant: COCHRAN ET AL. | | |
| | | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 | |
| | | Customer No.: 23552 | | |

| Favre et al., "Structural Minniery of Canonical Conformations in Antibody Hypervariable Loops Using Cyclic Peptides Containing a Heterochiral Diproline Template", J. Am. Chem. Soc., 121:2679-2685 (1999) |
|--|
| Felici, "Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition Vector", J. Mol. Biol., 222:301-310 (1991) |
| Fowlkes et al., "Multipurpose Vectors for Peptide Expression on the M13 Viral Surface", <u>BioTechniques</u> , 13(3):422-427 (1992) |
| Friedrichs, M. et al., "Structural and Dynamic Properties of a β-Hairpin-Forming Linear Peptide. 2. ¹³ C NMR Relaxation Analysis," J. Am. Chem. Soc., 117(44):10855-10864 (1995). |
| Gill and von Hippel, "Calculation of Protein Extinction Coefficients from Amino Acid Sequence Data", Analytical Biochemistry, 182:319-326 (1989) |
| Gram et al., "In vitro selection and affinity maturation of antibodies from a naive combinatorial immunoglobulin library", Proc. Natl. Acad. Sci. USA, 89(8):3576-3580 (1992) |
| Greenwood et al., "Peptides from Plasmodium Falciparum Circumsporozoite Protein as Antigens", <u>J. Mol. Bio.</u> , 220:821-827 (1991) |
| Griffiths-Jones, S. et al., "Dissecting the Stability of a β-Hairpin Peptide that Folds in Water: NMR and Molecular Dynamics Analysis of the β-Turn and β-Strand Contributions to Folding," <u>J. Mol. Biol.</u> , Vol. 292, pp. 1051-1069 (1999). |
| Griffiths-Jones, S. et al., "NMR evidence for the nucleation of a β-hairpin peptide conformation in water by an Asn-Gly type I' β-turn sequence," Chem. Commun., pp. 789-790 (1998). |
| Gururaja et al., "A novel artificial loop scaffold for the noncovalent constraint of peptides", Chem. & Biol., 7:515-527 (2000) |
| Haque, T. et al., "Insights on β-Hairpin Stability in Aqueous Solution from Peptides with Enforced Type 1' and Type II' β-Turus," J. Am. Chem. Soc., 119:2303-2304 (1997). |
| Havel, "An Evaluation of Computational Strategies for Use in the Determination of Protein Structure from Distance Constraints Obtained by Nuclear Magnetic Resonance", Prog. Biophys. Molec. Biol., 56:43-78 (1991) |
| Hogrefe et al., "Cloning in a bacteriophage lambda vector for the display of binding proteins on filamentous phage", Gene, 137:85-91 (1993) |
| Honda et al., "Thermodynamics of a B-Hairpin Structure: Evidence for Cooperative Formation of Folding Nucleus", J. Mol. Biol., 295:269-278 (2000) |
| Hoogenboom et al., "Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains", Nucleic Acids Research, 19(15):4133-4137 (1991) |
| Hutchinson, E. et al., "Determinants of strand register in antiparallel β -sheets of proteins," <u>Protein Science</u> , 7:2287-2300 (1998). |
| Iannolo et al., "Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein", J. Mol. Biol., 248:835-844 (1995) |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

^{*}Substitute Disclosure Statement Form (PTQ-1449)

Sheet 5 of 9

| FORM 1449* | INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.118USD1 | Application Number: 10/823,006 |
|---|----------------------------------|---------------------------------|-----------------------------------|
| IN AN APPLICATION (Use several sheets if necessary) | | Applicant: COCHRAN ET AL. | |
| | | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 |
| | , | Customer No.: 23552 | |

| T | Jiang et al., "Display of a PorA peptide from Neisseria meningitidis on the bacteriophage T4 capsid surface", |
|---|--|
| | <u>Chemical Abstracts</u> , (Abstract No. 44380q) 128(5):147 (1998) |
| | Johnson et al., "Analysis of Data from the Analytical Ultracentrifuge by Nonlinear Least-Squares Techniques", Biophys. J., 36:575-588 (December 1981) |
| | Kang et al., "Linkage of recognition and replication functions by assembling combinatorial antibody Fab libraries along phage surfaces", Proc. Natl. Acad. Sci. USA, 88:4363-4366 (1991) |
| | Karle et al., "Cyclic Cystine Peptides. Antiparallel B-Sheet Conformation for the 2-Membered Ring in Boc-Cys Val-Aib-Ala-Leu-Cys-NHMe", American Chemical Society, 110:1958-1963 (1988) |
| | Kessler et al., "Peptide Conformations. 42. ^{1,2} Conformation of Side Chains in Peptides Using Heteronuclear Coupling Constants Obtained by Two-Dimensional NMR Spectroscopy", J. Am. Chem. Soc., 109:6927-6933 (1987) |
| | Kieber-Emmons et al., "Therapeutic peptides and peptidomimetics", <u>Current Quinion in Biotechnology</u> , 8(4):435-441 (Aug. 1997) |
| | Kim, C. et al., "Thermodynamic β-sheet propensities measured using a zinc-finger host peptide," Nature. 362:267-270 (March 18, 1993). |
| | Kobayashi, N. et al., "Fragment Reconstitution of a Small Protein: Disulfide Mutant of a Short C-Terminal Fragment Derived from Streptococcal Protein G," <u>Biochemistry</u> , 38(11):3228-3234 (1999). |
| | Kobayashi, N. et al., "Role of Side-chains in the Cooperative β-Hairpin Folding of the Short C-Terminal Fragment Derived from Streptococcal Protein G," Biochemistry, 39(21): 6564-6571 (2000). |
| | Kortemme et al., "Design of a 20-Amino Acid, Three-Stranded B-Sheet Protein", Science, 281:253-256 (July 10 1998) |
| | Ladner, R., Constrained peptides as binding entities", TIBTECH, 13:426-430 (Oct. 1995) |
| | Lam et al., "A new type of synthetic peptide library for identifying ligand-binding activity," Nature, 354:82-84 (1991). |
| | Lin and Kim, "Urea Dependence of Thiol-Disulfide Equilibria in Thioredoxin: Confirmation of the Linkage Relationship and a Sensitive Assay for Structure", Biochemistry, 28(12):5282-5287 (1989) |
| | Lindqvist and Naderi, "Peptide presentation by bacteriophage P4", FEMS Microbiology Reviews, 17:33-39 (1995) |
| | Livnah et al., "Functional mimicry of a protein hormone by a peptide agonist: the EPO receptor complex at 2.8 A", Science, 273(5274):464-471 (July 26, 1996) |
| | Lowman and Wells, "Monovalent Phage Display: A method for Selecting Variant Proteins from Random Libraries", Methods: Comp. to Methods Enzymol., 3(3):205-216 (1991) |
| | Lowman et al., "Molecular mimics of insulin-like growth factor 1 (IGF-1) for inhibiting IGF-1: IGF-binding protein interactions", <u>Biochemistry</u> , 37(25):8870-8878 (June 23, 1998) |
| | Lowman et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", Biochemistry, 30(45):10832-10838 (1991) |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
| | |

^{*}Substitute Disclosure Statement Form (PTO-1449)

Sheet is of 9

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.118USD1 | Application Number: 10/823,006 |
|---|---------------------------------|-----------------------------------|
| IN AN APPLICATION | Applicant: COCHRAN ET AL | |
| (Use several sheets if necessary) | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 |
| | Customer No.: 23552 | |

| Makowski, L., "Structural constraints on the display of foreign peptides on filamentous bacteriophages", Gene. |
|--|
| 128:5-11 (1993) |
| Malik and Perham, "New vectors for peptide display on the surface of filamentous bacteriophage", Gene, 171:49-51 (1996) |
| Markland et al., "Design, construction and function of a multicopy display vector using fusions to the major coat protein of bacteriophage M13", Gene, 109:13-19 (1991) |
| Marks et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage", <u>J. Mol. Biol.</u> , 222:581-597 (1991) |
| Mattos, C. et al., "Analysis of Two-residue Turns in Proteins," J. Mol. Biol., 238:733-747 (1994). |
| Maynard, A. et al., "NMR structural analysis of a β-hairpin peptide designed for DNA binding," Chem. Commun., pp. 1297-1298 (1997). |
| Maynard, A. et al., "Origin of β-Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water," <u>J. Am. Chem. Soc.</u> , 120(9):1996-2007 (1998). |
| Martin et al., "The affinity-selection of a minibody polypeptide inhibitor of human interleukin-6," <u>EMBO</u> <u>Journal</u> , 13(22):5303-5309 (November 15, 1994). |
| McBride et al., "Sclection of Chymotrypsin Inhibitors from a Conformationally-constrained Combinatorial Peptide Library," Journal of Molecular Biology, Vol. 259, No. 4, pp. 819-827 (June 21, 1996). |
| McCafferty et al., "Phage antibodies: filamentous phage displaying antibody variable domains", Nature, 348:552-554 (1990) |
| McGregor, "Selection of proteins and peptides from libraries displayed on filamentous bacteriophage", Molecular Biotechnology, 6:155-162 (1995) |
| McLafferty et al., "M13 bacteriophage displaying disulfide-constrained microproteins", Gene. 128:29-36 (1993) |
| Mcrrifield, R.B., "Solid Phase Peptide Synthesis. I. The Synthesis of a Tetrapeptide", <u>J. Am. Chem. Soc.</u> , 85:2149-2154 (1963) |
| Milburn et al., "Chain reversals in model peptides: studies of cystine-containing cyclic peptides. II. Effects of valyl residues and possible i-to-(i + 3) attractive ionic interactions on cyclization of [Cys ¹], [Cys ⁶] hexapeptides", International Journal of Peptide & Protein Research, 31(3):311-321 (March 1988) |
| Milner-White, E., "Predicting the biologically active conformations of short polypeptides," <u>Trends in Pharmacological Sciences</u> , 10(2):70-74 (February 1989). |
| Minor and Kirn, "Measurement of the B-sheet-forming propensities of amino acids", Nature, 367:660-663 (February 17, 1994) |
| Minor, Jr., D. et al., "Context is a major determinant of β-sheet propensity," Nature, 371:264-267 (September 15, 1994). |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
| | <u></u> |

^{*}Substitute Disclosure Statement Form (PTO-1449)

Shect 7 of 9

| FORM 1449* INFORMATION DISCLOSU | RE STATEMENT | Docket Number: 11669.118USD1 | Application Number: 10/823,006 | |
|-----------------------------------|--------------|---------------------------------|-----------------------------------|--|
| IN AN APPLICATION | | Applicant: COCHRAN ET AL | Applicant: COCHRAN ET AL. | |
| (Use several sheets if necessary) | | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 | |
| | | Customer No.: 23552 | | |

| Muñoz, V. et al., "Intrinsic Secondary Structure Propensities of the Amino Acids, Using Statistical φ-ψ Matrices: Comparison With Experimental Scales," <u>Proteins: Structure, Function, and Genetics</u> , 20:301-311 (1994). |
|--|
| Munoz et al., "Folding dynamics and mechanism of B-hairpin formation", Nature, 390:196-199 (November 13, 1997) |
| Myszka et al., "Design and characterization of an intramolecular antiparallel coiled coil peptide," Biochemistry, 33(9):2363-2372 (March 8, 1994). |
| Nygren et al., "Scaffolds for engineering novel binding sites in proteins," <u>Current Opinion in Structural Biology</u> , 7(4):463-469 (August 1997). |
| O'Boyle et al., "Identification of a novel peptide substrate of HSV-1 protease using substrate phage display", Virology, 236:338-347 (1997) |
| O'Neil and Hoess, "Phase display: protein engineering by directed evolution", Current Opinion in Structural Biology, 5:443-449 (1995) |
| Privalov and Gill, "Stability of Protein Structure and Hydrophobic Interaction", Advances in Protein Chemistry, 39:191-234 (1988) |
| Ramirez-Alvarado et al., "B-Hairpin and B-Sheet Formation in Designed Linear Peptides", Bioorganic & Medicinal Chemistry, 7:93-103 (1999) |
| Ramirez-Alvarado et al., "Conformational analysis of peptides corresponding to all the secondary structure elements of protein L B1 domain: Secondary structure propensities are not conserved in proteins with the same fold", Protein Science, 6:162-174 (1997) |
| Ramirez-Alvarado et al., "De novo design and structural analysis of a model B-hairpin peptide system", Nature Structural Biology, 3(7):604-612 (July 1996) |
| Ramirez-Alvarado et al., "Role of B-Turn Residues in B-Hairpin Formation and Stability in Designed Peptides", J. Mol. Biol., 273:898-912 (1997) |
| Ren et al., "Cloining of linear DNAs in vivo by overexpressed T4 DNA ligase: construction of a T4 phage hoc gene display vector", Chemical Abstracts. (Abstract No. 215644q) 127(16):155 (1997) |
| Ren et al., "Phage display of intact domains at high copy number: A system based on SOC, the small outer capsid protein of bacteriophage T4", Protein Science, 5:1833-1843 (1996) |
| Ren et al., "Phage 74 SOC and HOC display of biologically active, full-length proteins on the viral capsid", Gene, 215:439-444 (1998) |
| Ried, C. et al., "High Affinity Endotoxin-binding and Neutralizing Peptides Based on the Crystal Structure of Recombinant <i>Limulus</i> Anti-lipopolysaccharide Factor," <u>Journal of Biological Chemistry</u> , 271(45):28120-28127 (November 8, 1996). |
| Rietman et al., "The solution structure of the synthetic circular peptide CGVSRQGKPYC NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13", <u>Eur. J. of Biochem.</u> , 238:706-713 (1996) |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|
| | |

[&]quot;Substitute Disclosure Statement Form (PTO-1449)

12:52PM

FROM-Merchant & Gould

6123329081

T-741 P.011/012 F-099

Date Mailed: July 19, 2004

Sheet N of 9

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.118USD1 | Application Number: +0/823,006 |
|---|---------------------------------|-----------------------------------|
| IN AN APPLICATION | Applicant: COCHRAN ET AL. | |
| (Use several sheets if necessary) | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 |
| | Customer No.: 23552 | |

| Rohrer, S. et al., "Rapid Identification of Subtype-Selective Agonists of the Somatostatin Receptor Through |
|---|
| Combinatorial Chemistry," Science, 282:737-740 (October 23, 1998). |
| Russell and Cochran, "Designing Stable B-Hatrpins: Energetic Contributions from Cross-Strand Residues", <u>J. Am. Chem. Soc.</u> , 122:12660-12601 (2000) |
| Scott and Smith, "Searching for peptide ligands with an epitope library", Science, 249:386-390 (1990) |
| Searle, M. et al., "A short linear peptide derived from the N-terminal sequence of ubiquitin folds into a water-stable non-native β-hairpin," Nature Structural Biology, 2(11):999-1006 (November 1995). |
| Sibanda et al., "Conformation of B-Hairpins in Protein Structures", J. Mol. Biol., 206:759-777 (1989) |
| Skelton et al., "Determination of the Solution Structure of the Peptide Hormone Guanylin: Observation of a Novel Form of Topological Stereoisomerism", <u>Biochemistry</u> , 33:13581-13592 (1994) |
| Smith and Pease, "Reverse turns in peptides and proteins," <u>CRC Critical Reviews in Biochemistry</u> , 8(4):315-399 (1980). |
| Smith and Scott, "Libraries of Peptides and Proteins Displayed on Filamentous Phage", Methods in Enzymology, 217:228-257 (1993) |
| Smith et al., "Small binding proteins selected from a combinatorial repertoire of knottins displayed on phage," <u>Journal of Molecular Biology</u> , 277(2):317-332 (March 27, 1998). |
| Smith, "Surface display and poptide libraries", Gene, 128:1-2 (1993) |
| Smith, C. et al., "A Thermodynamic Scale for the \(\beta\)-Sheet Forming Tendencies of the Amino Acids," Biochemistry, 33(18):5510-5517 (1994). |
| Smith, C. et al., "Guidelines for Protein Design: The Energetics of β Sheet Side Chain Interactions," <u>Science</u> , 270:980-982 (November 10, 1995). |
| Smith, G.P., "Surface presentation of protein epitopes using bacteriophage expression systems", <u>Curr. Opin.</u> <u>Biotechnol.</u> , 2(5):668-673 (1991) |
| Soumillion et al., "Phage display of enzymes and in vitro selection for catalytic activity", <u>Applied Biochemistry and Biotechnology</u> , 47:175-190 (1994) |
| Stanger and Gellman, "Rules for Antiparallel B-Sheet Design: D-Pro-Gly is Superior to L-Asn-Gly for B-Hairpin Nucleation", J. Am. Chem. Soc., 120:4236-4237 (1998) |
| Stroup and Gierasch, "Reduced Tendency to Form a β Turn in Peptides from the P22 Tailspike Protein Correlates with a Temperature-Sensitive Folding Defect", <u>Biochemistry</u> , 29:9765-9771 (1990) |
| Syud et al., "NMR-Based Quantification of B-Sheet Populations in Aqueous Solution through Use of Reference Peptides for the Folded and Unfold States", J. Am. Chem. Soc., 121:11577-11578 (1999) |
| Syud, F. et al., "Interstrand Side Chain-Side Chain Interactions in a Designed β-Hairpin: Significance of Both Lateral and Diagonal Pairings," J. Am. Chem. Soc., 123(36):8667-8677 (2001). |
| Thennarasu and Nagaraj, "Synthetic Peptides Corresponding to the B-Hairpin Loop of Rabbit Defensin NP-2 Show Antimicrobial Activity", Biochem. & Biophys. Res. Comm., 254:281-283 (1999) |

| | , ··· |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
| | |

12:52PM

FROM-Merchant & Gould

6123329081

-741 P.012/012 F-099

Date Mailed: July 19, 2004

Sheet 9 of 9

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669,118USD1 | Application Number: 10/823,006 | |
|---|---------------------------------|-----------------------------------|--|
| IN AN APPLICATION | Applicant: COCHRAN ET AL | Applicant: COCHRAN ET AL. | |
| (Use several shoets if necessary) | Filing Date: APRIL 12, 2004 | Group Art Unit: 1639 | |
| | Customer No.: 23552 | | |

| Vita et al., "Novel miniproteins engineered by the transfer of active sites to small natural scaffolds," <u>Biopolymers</u> , 47(1):93-100 (1998). |
|--|
| Vita et al., "Rational engineering of a miniprotein that reproduces the core of the CD4 site interacting with HIV-1 envelope glycoprotein," <u>Proc. Natl. Acad. Sci. USA</u> , 96(23):13091-13096 (November 9, 1999). |
| Walse et al., "Structure of a cyclic peptide with a catalytic triad, determined by computer simulation and NMR spectroscopy", J. Comput. Aided Mol. Des., 10:11-22 (1996) |
| Wells et al., "Cassette Mutagenesis: an Efficient Method for Generation of Multiple Mutations at Defined Sites", Gene, 34(2-3):315-323 (1985) |
| Wiesmann et al., "Crystal Structure of the Complex between VEGF and a Receptor-Blocking Peptide", Biochemistry, 37:17765-17772 (1998) |
| Wouters, M. et al., "An Analysis of Side Chain Interactions and Pair Correlations Within Antiparallel β-Sheets: The Differences Between Backbone Hydrogen-Bonded and Non-Hydrogen-Bonded Residue Pairs," <u>Proteins: Structure, Function, and Genetics</u> , 22:119-131 (1995). |
| Wrighton et al., "Small peptides as potent mimetics of the protein hormone crythropoietin", Science, 273:458-463 (July 26, 1996) |
| Zerella et al., "Autonomous folding of a peptide corresponding to the N-terminal B-hairpin from ubiquitin", Protein Science, 8:1320-1331 (1999) |
| Zerella et al., "Structural characterization of a mutant peptide derived from ubiquitin: Implications for protein folding", Protein Science, 9:2142-2150 (2000) |
| Zhang et al., "Synthetic CD4 exocyclic peptides antagonize CD4 holoreceptor binding and T cell activation", Nature Biotechnology, 14:472-475 (April 1996) |
| Zhang et al., "Synthetic CD4 exocyclies inhibit binding of human immunodeficiency virus type 1 envelope to CD4 and virus replication in T lymphocytes", Nature Biotechnology, 15(2):15(+154 (Feb. 1997) |
| Zhong, "Conformational Mimicry of a Chlamydial Neutralization Epitope on Filamentous Phage", <u>Journal of Biological Chemistry</u> , 269(39):24183-24188 (1994) |
| Zoller and Smith, "Oligonucleoride-directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA", Nucl. Acids Res., 10(20):6487-6500 (1982) |

| EXAMINER D | DATE CONSIDERED |
|------------|-----------------|